

# PACIFIC CHEETAH 20W40 Engine Oil

American Technology

QUALITY LUBRICANT

**Introduction :** Pacific Cheetah Multigrade Engine Oil is blended from highly refined base stocks and balanced additive package containing shear stable VI improver, metallic detergent dispersant and anti-oxidant. These oils are formulated to meet lubrication requirements of both gasoline and diesel engines. These oils are red in color and suitable for all seasons.

## **Applications :**

- 1. Modern passenger cars
- 2. Naturally aspirated diesel engines operating under severe conditions.
- 3. Supercharged diesel engines.
- 4. Vehicles encountering continuous start-stop operation.

### **Performance Benefits :**

- 1. Enable easy low temperature starting
- 2. Minimize fuel and oil consumption
- 3. Give longer battery life.
- 4. Provide maximum protection to engine parts against rust and corrosion.
- 5. Give good high and low temperature performance in the engine.
- 6. Minimize wear of engine parts.
- 7. Ensure system cleanliness by holding contaminants in finely dispersed state.

Specifications : IS 13656-2002 (E-DL 3) US MILITARY MIL-L-2104 API SC/CC

### **Characteristics** :

1. Appearance	Bright Red
2. Kinematic Viscosity cSt @ 100° C	14.50
3. Viscosity Index, min.	110
4. Pour Point, °C, max	-21
5. Flash Point, COC, °C, min.	220
6. TBN, mg. KOH/ gm	5-6

Pack Size: 210 Ltrs., 50 Ltrs., 20 Ltrs. & 10 Ltrs, 7.5 Ltrs, 5 Ltrs., 1 Ltr & 500 ml.

### **Precautions :**

- **1.** Running engine with insufficient oil or improper grade of oil may cause serious damage to engine. Oil change intervals to be maintained as per engine manufacturers recommendations. Oil level to be checked before running the engine.
- 2. Oil properties may be lost due to overheating of engines due to failure of proper cooling system and oil to be changed if the engine is overheated abnormally.
- **3.** Change Oil filters whenever oil is changed.

\*These Specifications are of a Particular Lot they can differ from lot to lot but will not effect the performance of the oil