

PACIFIC FUSION 5W30 API-SM/CF Engine Oil

QUALITY LUBRICANT

Introduction : Pacific Fusion 5W30 has been formulated with cleansing technology. It works harder to protect than ordinary motor oils by continuously preventing dirt and sludge build-up and reduce engine noise.

Applications : Recommended for modern high performance gasoline engines for cars & passenger vehicles and turbo charged diesel engines.

Performance Benefits :

- 1. Contains cleansing technology to continuously prevent dirt and sludge build-up.
- 2. Works harder than ordinary oils to protect the engine.
- 3. Minimizes vibration and engine noise for a smoother quieter drive.
- 4. High 'VI' (Viscosity Index) ensures adequate viscosity at all operating temperatures.
- 5. Helps the oil stay on-grade to protect the engine from oil thinning. an Iechnology

Specifications : API SM/CF requirements.

Characteristics :

Properties	Method	Pacific Fusion 5W30
Kinematic Viscosity@ 100°C, cSt	IP 71	10.5 to 12
Viscosity Index Min.	IP 226	145
Density@ 15°C kg/l	IP 365	0.880
Flash Point (PMCC) °CMin.	IP 34	200
Pour Point °C Min.	IP 15	-36

Pack Size: 210 Ltr, 3.5 Ltr & 1 Ltr.

Precautions :

- **1.** Running engine with insufficient oil or improper grade of oil may cause serious damage to engine. Oil change intervals to be maintained as per engine manufacturers recommendations. Oil level to be checked before running the engine.
- 2. Oil properties may be lost due to overheating of engines due to failure of proper cooling system and oil to be changed if the engine is overheated abnormally.
- **3.** Change Oil filters whenever oil is changed.

*These Specifications are of a Particular Lot they can differ from lot to lot but will not effect the performance of the oil